



HIAB 248 CLX

BASIC DATA
2024.04

HIAB 248 CLX



BASIC DATA


Technical data	248 CLX EP-2	248 CLX EP-3	248 CLX EP-4	248 CLX EP-5
Mdyn (kNm)	280	288	294	299
Lifting capacity (kNm)	214	208	203	199
Lifting capacity (tm)	21.8	20.3	20.7	20.3
Outreach – lifting capacity, standard (m – kg)	2.4 – 8400	2.4 – 8200	2.4 – 8400	2.4 – 8200
	4.2 – 5200	4.3 – 4950	4.4 – 4700	4.5 – 4500
	5.9 – 3700	6.0 – 3450	6.1 – 3250	6.2 – 3100
	7.9 – 2760	8.0 – 2540	8.1 – 2380	8.2 – 2200
	–	10.2 – 1980	10.3 – 1820	10.4 – 1680
	–	–	12.6 – 1460	12.7 – 1340
	–	–	–	15.0 – 1120
Outreach – lifting capacity, manual extensions (m – kg)	10.1 – 2080	12.5 – 1540	15.0 – 1140	17.2 – 920
Hydraulic outreach, standard (m)	8.0	10.3	12.7	15.1
Hydraulic boom extension (m)	3.8	6.0	8.3	10.6
Outreach, manual extensions (m)	10.2	12.6	15	17.3
Lifting height above installation level, hydr/man (m)	10.6 / 15.2	12.9 / 17.5	15.3 / 19.9	17.7 / 19.9
Rec. oil flow (l/min)	50 – 70			
Working pressure (Mpa)	30.5			
Oil in tank (l)	150 – 200			
Tank capacity (l)	0 – 235			
Slewing angle (°)	410			
Max slope viable at full capacity (°)	5			
Slewing torque, gross (kNm)	28.3			
Slewing speed 80 (°/s)	15			
Lifting speed at standard hydraulic outreach (m/s)	1.1	1.4	1.7	2.0
Height in folded position (mm)	2393			
Width in folded position (mm)	2500			2503
Install space required (mm)	1153	1151	1153	
Crane in standard version without stabiliser system (kg)	2390	2590	2760	2900
Frame attachments (kg)	56 – 63			
Stabiliser system equipment (kg)	381 – 465			

This table shows a few examples of models, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information on the variety of options we can offer.

HIAB 248 CLX EP-5





Disclaimer. We reserve the right to make changes. Illustrations, drawings and data are not always in accordance with the latest version or standard model in production. The models in the pictures may present special equipment or colours.

BD-248CLX-EN-VW_240402

BUILT TO PERFORM

Hiab is a leading provider of smart and sustainable load handling solutions. We are committed to delivering the best customer experience every day with the most engaged people and partners. Hiab's premium equipment includes HIAB, EFFER and ARGOS loader cranes, MOFFETT and PRINCETON truck mounted forklifts, LOGLIFT forestry cranes, JONSERED recycling cranes, MULTILIFT skiploaders and hooklifts, GALFAB roll-off cable hoists, and tail lifts under the ZEPRO, DEL and WALTCO brands. As the industry pioneer, Hiab continues to make load handling smarter, safer and more sustainable to build a better tomorrow. Hiab is part of Cargotec Corporation.

www.hiab.com

